MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION		
Product Identifier	:	DeconGel 1102 and 1122
Trade Name	:	DeconGel 1102 and 1122
Product Use	:	Cleaner
Chemical Family	:	Mixture
Manufacturer part no.	:	N/Ap
Supplier's name and address	5:	
CBI Polymers, LLC 1946 Young Street Suite 288 Honolulu, HI, USA 96826		
Information Telephone No.	:	(808) 949-2208
24 Hr. Emergency Tel #	:	DOMESTIC NORTH AMERICA 800-424-9300 INTERNATIONAL, CALL 703-527-3887 (Collect calls accepted)

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

			ACGIH TLV		OSHA PEL	
Ingredients	<u>CAS #</u>	<u>% (weight)</u>	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
Isopropanol	67-63-0	3.00 - 7.00	200 ppm	400 ppm	400 ppm ; 980 mg/m³	N/Av
N-Methyl-2-pyrrolidone	872-50-4	0.50 - 1.50	*10 ppm	N/Av	N/Av	N/Av
Proprietary	Proprietary	7.00 - 13.00	N/Av	N/Av	N/Av	N/Av
Proprietary	Proprietary	1.00 - 5.00	N/Av	N/Av	N/Av	N/Av
Proprietary	Proprietary	1.00 - 5.00	N/Av	N/Av	N/Av	N/Av

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200).

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): See Section 6

* Note: The ACGIH TLV listed above for the following ingredient(s) is an AIHA WEEL: N-methyl-2-pyrrolidone

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Blue liquid. Mild odor.

CAUTION! Causes eye irritation. May cause skin irritation. May be harmful if inhaled or swallowed. May cause respiratory irritation. May cause central nervous system depression. May cause gastrointestinal irritation. Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing.

POTENTIAL HEALTH EFFECTS

Target organs

: Eyes, skin, respiratory system and digestive system.

Routes of exposure : Inhalation: YES Skin Absorption: YES Skin & Eyes: YES Ingestion: YES Signs and symptoms of short-term (acute) exposure

Signs and symptoms of short-term (acute) exposure

Inhalation	May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects	
Skin	May cause mild skin irritation. May be absorbed and cause symptoms similar to those for inf	nalation.
Eyes	May cause moderate to severe irritation.	
Ingestion	May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, vomiting, dizziness, drowsiness and other central nervous system effects. May be an aspirati Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pnet can be fatal.	ion hazard.

MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

	 Prolonged or repeated contact may cause drying, cracking and defatting of the skin. May cause central nervous system depression.
Conditions aggravated by ov	rexposure
	: Pre-existing skin, eye, respiratory and central nervous system disorders.
Carcinogenic status	: See TOXICOLOGICAL INFORMATION, Section 11.
Additional health hazards	: See TOXICOLOGICAL INFORMATION, Section 11.
Potential environmental effect	S
	: See ECOLOGICAL INFORMATION (Section 12).

	SECTION 4 - FIRST AID MEASURES
Inhalation	: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms persist or in all cases of doubt seek medical advice.
Skin contact	: For skin contact, flush with water for at least 15 minutes, while removing contaminated clothing. If irritation persists, seek prompt medical attention. Launder clothing before reuse. Leather and shoes that have been contaminated with the solution may need to be destroyed.
Eye contact	: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	: Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek immediate medical attention/advice.
Notes For Physician	: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

Fire hazards/conditions of flammability				
	Not flammable under normal conditions of handling. However, may burn if exposed to extreme heat and flame. Vapors are heavier than air and collect in confined and low-lying areas. Vapor can travel considerable distance and flashback to a source of ignition. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.			
Flammability classification (OS	HA 29 CFR 1910.1200)			
	: Combustible Liquid Class III B.			
Flash point	: >93.3°C / >200°F			
Flash point Method	: closed cup (ASTM 6420) Auto-ignition temperature : N/Av			
Lower flammable limit (% by vo	ol.) Upper flammable limit (% by vol.)			
	: N/Av : N/Av			
Explosion data: Sensitivity to mechanical impact / static discharge				
	: Not expected to be sensitive to mechanical impact or static discharge.			
Suitable extinguishing media	: Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may spread burning material.			
Special fire-fighting procedures	s/equipment			
	: Firefighters should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes.			

Hazardous combustion products

: Carbon oxides; nitrogen oxides (NOx); formaldehyde; irritating fumes and smoke.

SECTION 6 - ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.	
Environmental precautions	: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.	

MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

Spill response/cleanup	:	Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required			
Prohibited materials		authorities as required. None known.			
Special spill response proced	-				
	:	If a spill/release in exces	s of the EPA reportable quantity tional response center in the Uni		
			quantity (RQ): Refer to supplier		
		SECTION 7 - HAN	DLING AND STORAGE		
Safe Handling procedures		Wear protective equipme	ent during handling. Use in a well	-ventilated area. Avoid breathing	
	•	vapors or mists. Avoid co handling. Keep away fro Use only non-sparking to	ontact with eyes, skin and clothin m heat and sources of ignition.	g. Wash thoroughly after Use caution when opening cap. ntainers tightly closed when not in	
Storage requirements	:	should be clearly identified	ventilated area. Keep away from ed, clear of obstruction and acces spect periodically for damage or	ssible only to trained and	
Special packaging materials	:	Always keep in containe	rs made of the same materials as	s the supply container.	
SECTION	8 -	EXPOSURE CONTI	ROLS AND PERSONAL PI	ROTECTION	
Ventilation and engineering m	าคลร	ures			
				ation to keep vapor concentration	
Respiratory protection	:	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists.			
Skin protection	:	Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.			
Eye / face protection	:	Chemical splash goggles must be worn when handling this material.			
Other protective equipment	:		Wear resistant clothing and boots. An eyewash station and safety shower should be made available in the immediate working area.		
General hygiene consideration	ns				
	:	Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.			
Permissible exposure levels	:	For individual ingredient exposure levels, see Section 2.			
SE	CT]	ION 9 - PHYSICAL A	ND CHEMICAL PROPER	RTIES	
Physical state		Liquid	Appearance	: Blue liquid.	
Odor		Mild odor.	Specific gravity	: 1.02	
pH	:	6 - 8	Viscosity	: 3000 - 15000 centipoise	
Boiling point	:	100°C / 212°F	Melting/Freezing point	: N/Av	
Vapor pressure (mmHg @ 20°	, c /		Solubility in water	: Soluble	
		N/Av			
Vapor density (Air = 1)		N/Av Evaporation rate (n-Butyl acetate = 1)			
Volatile organic Compounds (-		Volatiles (% by weight)	: N/Av : N/Av	
General Information	-	N/Av No additional informatior	I.		
C	FC	TION 10 - REACTIV	TTY AND STABILITY DA	ТА	
8			III AND SIADILIII DA		
Stability and reactivity	:	Stable under the recomm	nended storage and handling cor	nditions prescribed.	

MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

Hazardous polymerization	:	Will not occur.	
Conditions to Avoid	:	Keep this product away from heat, sparks, flame, and other sources of ignition (e.g. pilot lights, electric motors, static electricity).	
Materials To Avoid And Incompatibility			
: Incompatible materials (see Section 7).			
Hazardous decomposition products			

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological data	: There are no available data below for individual ingredi		ly for the ingredients. See	
	LC ₅₀ (4hr) LD ₅₀			
Ingredients	<u>inh, rat</u>	<u>Oral, rat</u>	Dermal, rabbit	
Isopropanol	17000 ppm/4H	4720 mg/kg	12890 mg/kg	
N-Methyl-2-pyrrolidone	<5100 mg/m ³	3906 mg/kg	5000 - 10000 mg/kg	
Proprietary	N/Av	>2000 mg/kg	N/Av	
Proprietary	N/Av	1410 mg/kg	2830 mg/kg	
Proprietary	N/Av	4190 mg/kg	N/Av	
Carcinogenic status	: No components are listed as o	carcinogens by ACGIH, IARC	C, OSHA or NTP.	
Reproductive effects	: Not expected to have other reproductive effects.			
Teratogenicity	: Not expected to be a teratogen.			
Mutagenicity	: Not expected to be mutagenic in humans.			
Epidemiology	: Not available.			
Sensitization to material	: Not expected to be a skin or respiratory sensitizer.			
Other important hazards	: None known.			
Synergistic materials	: Not available.			
	SECTION 12 - ECOLOGI	CAL INFORMATION		
Environmental effects	: The ecological characteristics of this product have not been fully investigated. The product			

l effects	: The ecological characteristics of this product have not been fully investigated. The product	
	should not be allowed to enter drains or water courses, or be deposited where it can affect	
	ground or surface waters.	
ironmental c	haracteristics	

Important environmental characteristics

: No information available.Ecotoxicological: No data are available on the product itself.

	SECTION 13 - DISPOSAL CONSIDERATIONS
Handling for Disposal	: Handle waste according to recommendations in Section 7.
Methods of Disposal	: Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

Packing Regulatory Group Information **UN Number Shipping Name** Class Label Not regulated 49CFR/DOT None Not regulated. None 49CFRDOT None Additional information

SECTION 14 - TRANSPORTATION INFORMATION

MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

TDG	None	Not regulated.	Not regulated	None	\oslash
TDG Additional information	None				·
ICAO/IATA	None	Not regulated.	Not regulated	None	\oslash
ICAO/IATA Additional information	None	·	· · · · ·		

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimis concentrations. This product contains: Isopropanol; N-methyl-2-pyrrolidone; Methanol.

US State Right to Know Laws:

California Proposition 65: This product contains a chemical known to the State of California to cause developmental harm. This product contains: N-methyl-2-pyrrolidone.

International Information:

Canadian WHMIS Classification:

Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material) Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION			
HMIS Rating	: <u>*- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe</u> Health: *2 Flammability: 1 Reactivity: 0		
Legend	 ACGIH: American Conference of Governmental Industrial Hygienists CA: California CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer Inh: Inhalation N/Ap: Not Applicable N/Av: Not Available 		

MSDS Preparation Date (mm/dd/yyyy): 04/11/2011

	NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TPQ: Threshold Planning Quantity TSCA: Toxic Substance Control Act TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System	
References	 ACGIH, Threshold Limit Values and Biological Exposure Indices for 2008. International Agency for Research on Cancer Monographs, searched 2009. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2009 (Chempendium, HSDB, RTECs). Material Safety Data Sheet from manufacturer. US EPA Title III List of Lists - January 27, 2005 version. California Proposition 65 List - June 19, 2009 version. 	
Prepared for:		

Prepared for: CBI Polymers, LLC 1946 Young St., Suite 288 Honolulu, HI, USA 96826 Telephone: 808-949-2208 Direct all enquiries to: CBI Polymers

Prepared by:

ICC The Compliance Center Inc. and CBI Polymers, LLC Canada: 1-888-977-4834 USA: 1-888-442-9628 http://www.thecompliancecenter.com



DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Cellular Bioengineering, Inc and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Cellular Bioengineering, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Cellular Bioengineering, Inc.

MSDS Preparation Date (mm/dd/yyyy) 04/11/2011

:

END OF DOCUMENT